EXHIBIT A



WAC740

4 x 4 Wave 2 Wireless-AC

Premium Controller Managed 802.11ac Wireless Access Point

NETGEAR Premium Business 802.11ac 4 x 4 Wave 2 Wireless Access Point, purposely designed for enterprises requiring high density and superior performance. The NETGEAR® Premium Business 802.11ac 4 x 4 Wave 2 Wireless Access Point (AP) delivers high performance with maximum client density for enterprises requiring ubiquitous and reliable wireless for all business applications. The WAC740 is a controller managed Access Point with ease of centralized management with all NETGEAR wireless controllers from small (WC7500) to mid-size (WC7600) and large-size (WC9500) deployment. The WAC740 operates with Multi-User MIMO and can achieve speeds up to 600 Mbps for 2.4 GHz and 1.7 Gbps at 5 GHz. The WAC740 is Power over Ethernet enabled and comes with 2 Ethernet ports, including one Multi-Gig port that can handle up to 2.5 Gbps of throughput, enabling a single wire to connect to Multi-Gig capable switch for ease of wiring installation.

Model: WAC740

(0) Write a review

Share

To learn more about our data practices, please see our recently updated <u>Privacy Policy</u>. We also use cookies and similar tracking technologies to give you a better experience, improve performance, analyze traffic, and to personalize content and ads. Find out more and control how cookies are used by clicking <u>Privacy Policy</u> and <u>Cookie Policy</u>. By continuing this website you agree to the use of cookies. Don't show again

Easy to Configure

Simple setup in minutes with wireless controllers (WC7500/WC7600/WC9500) Centralized configuration and monitoring with complete visibility

High performance and superior coverage

Dual band concurrent operation between 2.4GHz and 5GHz frequency ranges Maximum performance with multi-gigabit throughput (up to 2.3 Gbps)

Maximize capacity with Multi-user MIMO support

Enable concurrent wireless transmit and receive with multiple clients Improves coverage for multiple users in dense environment

Simple and cost effective for installation

Power over Ethernet (PoE) for flexibility of deployment 2.5 Multi-Gigabit Ethernet port with single cable installation with no compromise



To learn more about our data practices, please see our recently updated <u>Privacy Policy</u>. We also use cookies and similar tracking technologies to give you a better experience, improve performance, analyze traffic, and to personalize content and ads. Find out more and control how cookies are used by clicking <u>Privacy Policy</u> and <u>Cookie Policy</u>. By continuing this website you agree to the use of cookies. Don't show again

Power over Ethernet (PoE) IEEE 802.3af/802.3at

Physical Specifications Physical Dimensions (W x D x H): 197 x 197 x 40mm (7.76 x 7.76 x

1.57in)

Weight: 726g (1.6lb)

Physical Interfaces One (1) 10/100/1000/2500BASE-T Gigabit Ethernet (RJ-45) ports with

Auto Uplink $^{\mbox{\tiny TM}}$ (Auto MDI-X) with IEEE 802.3af or 802.3at Power over

Ethernet (PoE) support

One (1) 10/100/1000BASE-T Gigabit Ethernet (RJ-45) ports with Auto

Uplink[™] (Auto MDI-X)

Static link aggregation (LAG) support for redundancy and aggregate

throughput exceeding 1Gbps

Power adapter (not included): 12V DC, 2.5A; plug is localized to

country of sale

One (1) console port with RJ45 Interface

Four (4) reverse SMA antenna connectors for dual band 2.4 and 5GHz

external antennas (not included)

Five (5) LED: Power, Link/ACT, LAN, 2.4GHz, 5GHz

Security WiFi Protected Access (WPA/WPA2), 802.11i

MAC address filtering with access control

802.1x RADIUS support with EAP TLS, TTLS, PEAP

Rogue AP detection Block SSID Broadcast Secure SSH Telnet

Secure Socket Layer (SSL) Remote management login

Peer-to-peer blocking so users may not access another user's PC

Management Controller managed by WC7500/ WC7600/WC9500

Advanced Wireless

Features

Adjustable Transmit Power Control (TPC)

Package Contents Business Dual Band Wireless-AC Access Point (WAC740)

Ethernet cable

Ceiling and wall mount kit

Installation guide

Accessories Power Adapters with plug localized to country of sales

PAV12V-100AUS (for Australia)

PAV12V-100EUS (for Europe, Outside of UK)

PAV12V-100NAS (for North America)

PAV12V-100PRS (for China) PAV12V-100UKS (for UK)

Ordering Information WAC740-10000S: Everywhere except U.S and Canada

WAC740-100NAS: U.S and Canada

To learn more about our data practices, please see our recently updated <u>Privacy Policy</u>. We also use cookies and similar tracking technologies to give you a better experience, improve performance, analyze traffic, and to personalize content and ads. Find out more and control how cookies are used by clicking <u>Privacy Policy</u> and

Cookle Policy. By continuing this website you agree to the use of cookles. Don't show again

NETGEAR Warranty

This product is backed by a NETGEAR ProSAFE [®]Limited Lifetime Hardware Warranty. Lifetime Next Business Day Hardware Replacement. Click here for coverage, availability and terms and conditions.

ProSUPPORT 24x7 Advanced Technical Support via phone for 90 days (Remote diagnostics performed by our technical experts for prompt resolution of technical issues). ProSUPPORT coverage can be extended by purchasing one, three, or five year contracts.

ProSUPPORT Lifetime 24x7 Advanced Technical Support via chat.

Images Documents Low Resolution □ Data Sheet (PDF) High Resolution □ Frequently Asked Questions of WAC740

Reviews

Be the first to review this product

To learn more about our data practices, please see our recently updated <u>Privacy Policy</u>. We also use cookies and similar tracking technologies to give you a better experience, improve performance, analyze traffic, and to personalize content and ads. Find out more and control how cookies are used by clicking <u>Privacy Policy</u> and <u>Cookie Policy</u>. By continuing this website you agree to the use of cookies. Don't show again